



Access fun Grade 8–12 quizzes, matric past papers, K53 learner mock tests, and NBT prep!

All in one easy-to-use app.

DOWNLOAD GO STUDY NOW



Tap on the buttons above to download the app

 www.gostudy.club



Province of the
EASTERN CAPE
EDUCATION

SENIOR PHASE

GRADE 9

NOVEMBER 2018

**MATHEMATICS
MARKING GUIDELINE**

MARKS: 140

This marking guideline consists of 13 pages.

INSTRUCTIONS AND INFORMATION

1. Give full marks for answers only, unless stated otherwise.
2. Accept any alternate correct solutions that are not included in the marking guideline.
3. Underline errors committed by learners and apply Consistent Accuracy (CA).
4. **THE FINAL MARK MUST BE CONVERTED TO 100.**

KEYS	
M	Method
CA	Consistent Accuracy
A	Accuracy
S	Statement
SF	Substitution in Formula
R	Reason
S/R	Statement and Reason

QUESTION 1 [10 marks]				
Ques.	Mark allocation			Total
1.1	C	✓		(1)
1.2	A	✓		(1)
1.3	B	✓		(1)
1.4	A	✓		(1)
1.5	D	✓		(1)
1.6	B	✓		(1)
1.7	C	✓		(1)
1.8	A	✓		(1)
1.9	C	✓		(1)
1.10	D	✓		(1)
				[10]


QUESTION 2 [25]			
Ques.	Solution	Mark allocation	Total
2.1	$1\,042\,000\,000 = 1,042 \times 10^9$ ✓ A	Answer: 1Mark	(1)
2.2.1	$3z^2 - \left(4\frac{2}{3}z^3 \div \frac{7z}{2}\right)$ $= 3z^2 - \left(4\frac{2}{3}z^3 \div \frac{7z}{2}\right)$ ✓ M $= 3z^2 - \frac{4z^2}{3}$ ✓ M $= \frac{5z^2}{3} / \frac{5}{3}z^2$ ✓ CA	$\left(\frac{14z^3}{3} \times \frac{2}{7z}\right): 1 \text{ Mark}$ $\frac{4z^2}{3}: 1 \text{ Mark}$ Answer: 1 Mark	(3)
2.2.2	$2(x-3)^2 - 3(x+1)(2x-5)$ $= 2(x^2 - 6x + 9) - 3(2x^2 - 3x - 5)$ ✓ M $= 2x^2 - 12x + 18 - 6x^2 + 9x + 15$ ✓ M $= -4x^2 - 3x + 33$ ✓ CA	$(x^2 - 6x + 9): 1 \text{ Mark}$ $(2x^2 - 3x - 5): 1 \text{ Mark}$ Answer: 1 Mark	(3)
2.2.3	$\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \left(\frac{2y}{3xy^2}\right)^{-2}$ ✓ M $= \left(\frac{3xy^2}{2y}\right)^2$ ✓ M $= \frac{9x^2y^2}{4}$ ✓ CA <p style="text-align: center;">OR</p> $\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \frac{2^{-2}x^2y^{-2}}{3^{-2}y^{-4}}$ ✓ M $= \frac{\frac{1}{4}x^2y^2}{\frac{1}{9}}$ ✓ M $= \frac{9}{4}x^2y^2$ ✓ CA <p style="text-align: center;">OR</p>	$\left(\frac{2y}{3xy^2}\right)^{-2}: 1 \text{ Mark}$ $\left(\frac{3xy^2}{2y}\right)^2: 1 \text{ Mark}$ Answer: 1 Mark <p style="text-align: center;">OR</p> $\frac{2^{-2}x^2y^{-2}}{3^{-2}y^{-4}}: 1 \text{ Mark}$ $\frac{\frac{1}{4}x^2y^2}{\frac{1}{9}}: 1 \text{ Mark}$ Answer: 1 Mark <p style="text-align: center;">OR</p>	

Ques.	Solution	Mark allocation	Total
	$\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \frac{1}{\left(\frac{2x^{-1}y}{3y^2}\right)^2} \checkmark \mathbf{M}$ $= \frac{1}{\frac{2^2 x^{-2} y^2}{3^2 y^4}} \checkmark \mathbf{M}$ $= \frac{9x^2 y^2}{4} \checkmark \mathbf{CA}$	$\frac{1}{\left(\frac{2x^{-1}y}{3y^2}\right)^2}: 1 \text{ Mark}$ $\frac{1}{\frac{2^2 x^{-2} y^2}{3^2 y^4}}: 1 \text{ Mark}$ <p>Answer: 1 Mark</p>	(3)
2.2.4	$\frac{\sqrt{169x^6} \times \left(\frac{y}{p^{99}q}\right)^0}{\sqrt[3]{x^{12}}}$ $\checkmark \mathbf{M}$ $= \frac{13x^3 \times 1}{x^4} \checkmark \mathbf{M}$ $= \frac{13}{x} \checkmark \mathbf{A}$	$13x^3: 1 \text{ Mark}$ $x^4: 1 \text{ Mark}$ <p>Answer: 1 Mark</p>	(3)
2.3.1	$ax^2 - 5ax + 6a$ $\checkmark \mathbf{M}$ $= a(x^2 - 5x + 6)$ $\checkmark \mathbf{CA}$ $= a(x-3)(x-2)$	$a(x^2 - 5x + 6): 1 \text{ Mark}$ $(x-3): 1 \text{ Mark}$ $(x-2): 1 \text{ Mark}$	(3)
2.3.2	$(2x-3y) + (3y-2x)x^2$ $= (2x-3y) - (2x-3y)x^2 \checkmark \mathbf{M}$ $= (2x-3y)(1-x^2) \checkmark \mathbf{CA}$ $= (2x-3y)(1+x)(1-x) \checkmark \mathbf{CA}$	$(2x-3y) - (2x-3y)x^2: 1 \text{ Mark}$ $(2x-3y)(1-x^2): 1 \text{ Mark}$ $(2x-3y)(1+x)(1-x): 1 \text{ Mark}$	(3)
2.4.1	$\frac{x}{2} + \frac{2x+3}{3} = 1$ $\therefore 6\left(\frac{x}{2}\right) + 6\left(\frac{2x+3}{3}\right) = 6(1) \checkmark \mathbf{M}$ $\therefore 3x + 4x + 6 = 6$ $\therefore 7x = 0$ $\therefore x = 0 \checkmark \mathbf{CA}$	$\times \text{ by LCM: 1 Mark}$ <p>Answer: 1 Mark</p>	(2)

Ques.	Solution	Mark allocation	Total
2.4.2	$x^2 + x = 12$ $\therefore x^2 + x - 12 = 0$ $\therefore (x+4)(x-3) = 0$ ✓M $\therefore x = -4$ or $x = 3$ ✓CA	$(x+4)(x-3)$: 1 Mark Both solutions: 1 Mark	(2)
2.4.3	$5^{x+2} = \frac{1}{25}$ $\therefore 5^{x+2} = 5^{-2}$ ✓M $\therefore x+2 = -2$ $\therefore x = -4$ ✓CA	5^{-2} : 1 Mark Answer: 1 Mark	(2)
			[25]



QUESTION 3 [26]																							
Ques.		Solution					Mark allocation		Total														
3.1																							
3.1.1		<table border="1"><tr><td>Shape</td><td>1</td><td>2</td><td>3</td><td>4</td><td>...</td><td>25</td></tr><tr><td>Number of rectangles</td><td>5</td><td>9</td><td>13</td><td>17</td><td>...</td><td>101</td></tr></table> <p style="text-align: right;">✓A</p> <p>q = 17 and r = 25</p>					Shape	1	2	3	4	...	25	Number of rectangles	5	9	13	17	...	101	q = 17 and r = 25 : 1 Mark		(1)
Shape	1	2	3	4	...	25																	
Number of rectangles	5	9	13	17	...	101																	
3.1.2		<p style="text-align: right;">✓A ✓A</p> <p>$T_n = 4n + 1$</p>					<p>$4n$: 1 Mark</p> <p>$+1$: 1 Mark</p>		(2)														
3.1.3		<p>$T_n = 4n + 1$</p> <p>$205 = 4n + 1$ ✓SF</p> <p>$n = 51$</p> <p>∴ Shape number 51 has 205 rectangles. ✓CA</p>					<p>$T_n = 205$: 1 Mark</p> <p>Answer: 1 Mark</p>		(2)														
3.2.1		<p style="text-align: right;">✓A ✓A</p> <p>$T_n = n^2 + 1$</p>					<p>n^2 : 1 Mark</p> <p>$+1$: 1 Mark</p>		(2)														
3.2.2		<p>$T_n = n^2 + 1$</p> <p>$T_{10} = (10)^2 + 1$ ✓SF</p> <p>$T_n = 101$ ✓CA</p>					<p>SF (n = 10) : 1 Mark</p> <p>Answer: 1 Mark</p>		(2)														
3.3.1		<p>$A = \frac{1}{2}x + 2$</p> <p style="text-align: right;">✓SF</p> <p>$A = \frac{1}{2}(-2) + 2$</p> <p style="text-align: right;">✓CA</p> <p>A = 1</p>					<p>SF x = -2 : 1 Mark</p> <p>Answer: 1 Mark</p>		(2)														
3.3.2		<p style="text-align: right;">✓SF</p> <p>$\frac{1}{2}(B) + 2 = 4$</p> <p style="text-align: right;">✓CA</p> <p>B = 4</p>					<p>SF x = B : 1 Mark</p> <p>Answer: 1 Mark</p>		(2)														

Ques.	Solution	Mark allocation	Total
3.4.1	<p>Common difference = $-7 - (-10) = 3$ y-intercept = -1 Since $x = 0$ ✓A</p> <p>$y = 3x - 1$ ✓A</p> <p>OR</p> <p>$m = \frac{y_2 - y_1}{x_2 - x_1}$ $m = \frac{-7 - (-10)}{-2 - (-3)}$ $m = 3$ ✓A</p> <p>$y = 3x - 1$ ✓A</p>	<p>Explanation: 1 Mark Answer: 1 Mark</p> <p>If ANSWER ONLY Full Marks</p> <p>OR</p> <p>$m = 3$: 1 Mark Answer: 1 Mark</p> <p>If ANSWER ONLY Full Marks</p>	(2)
3.4.2	<p>$y = 3x - 1$ $8 = 3q - 1$ ✓SF $q = 3$ ✓CA</p>	<p>SF both values : 1 Mark Answer: 1 Mark</p>	(2)
3.5.1	<p>$y = -x + 3$ $0 = -x + 3$ $x = 3$ ✓A</p>	<p>Answer: 1 Mark</p>	(1)
3.5.2		<p>$y = -x + 3$</p> <p>x-intercept : 1 Mark y-intercept : 1 Mark Straight Line : 1Mark</p>	(3)

Ques.	Solution	Mark allocation	Total
3.6.1	Monday to Tuesday ✓A OR Saturday to Sunday ✓A	Answer: 1 Mark	(1)
3.6.2	15 packets of sweets sold ✓A OR 10 packets of sweets sold ✓A	Answer: 1 Mark	(1)
3.6.3	Thursday to Saturday ✓A	Answer: 1 Mark	(1)
3.6.4	The decrease varied. ✓A	Answer: 1 Mark	(1)
3.6.5	The sales were constant. ✓A OR No increase or decrease in the sales. ✓A	Answer: 1 Mark	(1)
			[26]
QUESTION 4 [12]			
Ques.	Solution	Mark allocation	Total
4.1	$SI = P.i.n$ ✓M $720 = 1800.i.5$ ✓SF $i = \frac{720}{1800 \times 5}$ $r = \frac{720}{1800 \times 5} \times 100$ $r = 8\%$ ✓CA	Formula: 1 Mark Substitution: 1 Mark Answer: 1 Mark	(3)
4.2	Let the breadth of the original playground = x ∴ The length of the original playground = $x + 1$ ∴ The perimeter of the original playground = $2(x + 1 + x)$ ✓M $= 4x + 2$ ✓M The length of the new playground = $x + 4$ The breadth of the new playground = $x - 1$ ∴ The perimeter of the new playground = $2(x + 4 + x - 1)$ ✓M $= 4x + 6$ ✓M ∴ The difference in perimeter = $4x + 6 - (4x + 2)$ ✓CA $= 4 \text{ meters}$	$2(x + 1 + x)$: 1 Mark $4x + 2$: 1 Mark $2(x + 4 + x - 1)$: 1 Mark $4x + 6$: 1 Mark Answer: 1 Mark	(5)
4.3	Total distance travelled = 210 km Total time travelled = 2.5 hours ✓M Average Speed = $\frac{\text{Distance}}{\text{Time}}$ ✓M $= \frac{210 \text{ km}}{2.5 \text{ hours}}$ ✓SF $= 84 \text{ km/h}$ ✓CA	Distance & Time: 1 Mark Formula: 1 Mark Substitution: 1 Mark Answer: 1 Mark	(4)
			[12]

QUESTION 5 [19]			
Ques.	Solution	Mark allocation	Tot
5.1			
5.1.1	$\checkmark A$ $x = 85^\circ$ (Alternate \angle 's; AC//HF) $\checkmark R$	Answer: 1 Mark Reason: 1 Mark	(2)
5.1.2	$\checkmark A$ $y = 95^\circ$ (Co-interior \angle 's $= 180^\circ$; BF//CD) $\checkmark R$	Answer: 1 Mark Reason: 1 Mark	(2)
5.2			
5.2.1	$\angle Q_1 = 55^\circ$ (Corresponding \angle 's; MN//QP) $\checkmark S/R$ $55^\circ + 2x - 5^\circ + 3x + 40^\circ = 180^\circ$ (3 \angle 's of $\triangle PQO = 180^\circ$) $\checkmark S$ $5x + 90^\circ = 180^\circ$ $x = 18^\circ$ $\checkmark CA$	Statement and reason: 1 Mark Statement: 1 Mark Reason: 1 Mark Answer: 1 Mark	(4)
5.2.2	$\angle MON = 2x - 5^\circ$ $= 2(18^\circ) - 5^\circ$ $\checkmark M$ $= 31^\circ$ $\checkmark CA$	Substitution/Method: 1 Mark Answer: 1 Mark	(2)
5.3.1	$\angle ADB + \angle ABD = 110^\circ$ [3 \angle 's of $\triangle ABD = 180^\circ$] $\checkmark S/R$ But $\angle ADB = \angle ABD$ [$\triangle ADB$ is isosceles with $AD = AB$] $\checkmark S/R$ $\therefore \angle ADB = 55^\circ$ $\checkmark A$	Statement and reason: 1 Mark Statement and reason: 1 Mark Answer: 1 Mark	(3)
5.3.2	$\checkmark S$ $\angle BDC = 55^\circ$ [Diagonal of rhombus ABCD bisect \angle 's] $\checkmark R$ $\therefore \angle ADC = 110^\circ$ $\checkmark A$ OR $\checkmark S$ $\angle DAE + \angle ADC = 180^\circ$ [Co-interior \angle 's $= 180^\circ$; DC//AE] $\checkmark R$ $\therefore 70^\circ + \angle ADC = 180^\circ$ [Co-interior \angle 's $= 180^\circ$; DC//AE] $\therefore \angle ADC = 110^\circ$ $\checkmark A$	Statement : 1 Mark Reason: 1 Mark Answer: 1 Mark OR Statement : 1 Mark Reason: 1 Mark Answer: 1 Mark	(3)
5.3.3	$\checkmark S$ $\angle DBE = 125^\circ$ [Exterior \angle of $\triangle ABD$] $\checkmark R$	Statement : 1 Mark Reason: 1 Mark	(2)
5.3.4	The opposite side of a rhombus are parallel. $\checkmark R$ OR DC//AE $\checkmark R$	Reason: 1 Mark	(1)
			[19]

QUESTION 6 [12]

Ques.	Solution	Mark allocation	Total
6.1	<p>In $\triangle PMN$ and $\triangle NOP$:</p> <p>1. $\angle MPN = \angle PNO$ [Alternate \angle's; $MP \parallel NO$] ✓S/R</p> <p>2. $\angle MNP = \angle NPO$ [Alternate \angle's; $MN \parallel PO$] ✓S/R</p> <p>3. $PN = PN$ [Common] ✓S/R</p> <p>$\therefore \triangle PMN \cong \triangle NOP$ [$\angle \angle S$] ✓S/R</p> <p>$\therefore PM = NO$ ✓S/R</p>	<p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p>	(5)
6.2.1	<p>In $\triangle DBE$ and $\triangle FCE$:</p> <p>1. $\angle E_1 = \angle E_3$ [Vertically Opposite \angle's] ✓S/R</p> <p>2. $\angle D_1 = \angle F$ [Alternate \angle's; $AB \parallel CF$] ✓S/R</p> <p>3. $\angle B = \angle C_2$ [Alternate \angle's; $AB \parallel CF$] ✓S/R</p> <p>$\therefore \triangle DBE \cong \triangle FCE$ [$\angle \angle \angle$] ✓S/R</p> <p>Note: The learner can use any 2 pairs of equal angles in his/her proof and then simply state that the last pair of corresponding angles are equal because the sum of 3 angles of a triangle is equal to 180°.</p>	<p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p> <p>Statement and reason: 1 Mark</p>	(4)
6.2.2	<p>$\frac{DB}{FC} = \frac{BE}{CE}$ [$\triangle DBE \cong \triangle FCE$] ✓S/R</p> <p>$\frac{DB}{5} = \frac{8}{10}$ ✓SF</p> <p>$DB = 4cm$ ✓CA</p>	<p>Statement and reason: 1 Mark</p> <p>Substitution: 1 Mark</p> <p>Answer: 1 Mark</p>	(3)
			[12]

QUESTION 7 [13]

Ques.	Solution	Mark allocation	Total
7.1.1	<p>Total Surface Area of pipe closed</p> <p>$= 2\pi r^2 + 2\pi r \times h$</p> <p>$= 2\pi(18)^2 + 2\pi(18) \times 120$ ✓SF</p> <p>$= 15607,4323cm^2$ ✓CA</p> <p>Total Surface Area of circular ends $= 2\pi r^2$</p> <p>$= 2\pi(15)^2$</p> <p>$= 1413,716694cm^2$ ✓A</p> <p>Total Surface Area of pipe open both sides</p> <p>$= 15607,4323cm^2 - 1413,716694cm^2$</p> <p>$= 14193,72cm^2$ ✓CA</p>	<p>Substitution: 1 Mark</p> <p>$25000,79434cm^2$: 1 Mark</p> <p>$2513,274123cm^2$: 1 Mark</p> <p>Answer: 1 Mark</p>	(4)

Ques.	Solution	Mark allocation	Total
7.1.2	<p>Total Volume of pipe closed</p> $= \pi r^2 \times h$ $= \pi (18)^2 \times 120 \quad \checkmark \text{SF}$ $= 122145,1224 \text{ cm}^3 \quad \checkmark \text{CA}$ <p>Total Volume of hole $= \pi r^2 \times h$</p> $= \pi (15)^2 \times 120$ $= 84823,00165 \text{ cm}^3 \quad \checkmark \text{A}$ <p>Total Volume of pipe (open on both sides)</p> $= 122145,1224 \text{ cm}^3 - 84823,00165 \text{ cm}^3$ $= 37322,12 \text{ cm}^3 \quad \checkmark \text{CA}$	<p>Substitution: 1 Mark</p> <p>$122145,1224 \text{ cm}^3$: 1 Mark</p> <p>$84823,00165 \text{ cm}^3$: 1 Mark</p> <p>Answer: 1 Mark</p>	(4)
7.2	<p>$FC = \sqrt{5^2 - 4^2}$ [Theorem of Pythagoras]</p> <p>$FC = 3 \text{ cm} \quad \checkmark \text{A}$</p> <p>Area of $\triangle ABC = \frac{1}{2} \times 6 \text{ cm} \times 4 \text{ cm}$</p> $= 12 \text{ cm}^2 \quad \checkmark \text{CA}$ <p>Area of square ACDE $= 6 \text{ cm} \times 6 \text{ cm}$</p> $= 36 \text{ cm}^2 \quad \checkmark \text{CA}$ <p>Area of Circle $= \pi \times (3 \text{ cm})^2$</p> $= 28,27433388 \text{ cm}^2 \quad \checkmark \text{CA}$ <p>Area of ALL the shaded sections</p> $= 12 \text{ cm}^2 + (36 \text{ cm}^2 - 28,27433388 \text{ cm}^2)$ $= 19,73 \text{ cm}^2 \quad \checkmark \text{CA}$	<p>$FC = 3 \text{ cm}$: 1 Mark</p> <p>12 cm^2 : 1 Mark</p> <p>36 cm^2 : 1 Mark</p> <p>$28,27433388 \text{ cm}^2$: 1 Mark</p> <p>Answer: 1 Mark</p>	(5)
			[13]

QUESTION 8 [10]

Ques.	Solution	Mark allocation	Tot.
8.1		<u>8.1</u> $A'(-1; 2)$: 1 Mark $B'(-0.5; 2)$: 1 Mark $C'(-1; 0.5)$: 1 Mark	(3)
8.2		<u>8.2</u> $A''(4; -2)$: 1 Mark $B''(4; -1)$: 1 Mark $C''(1; -2)$: 1 Mark	(3)
8.3		<u>8.3</u> $P(-3; 0)$: 1 Mark $Q(-2; 0)$: 1 Mark $R(-3; -1)$: 1 Mark $S(-4; -1)$: 1 Mark	(4)
			[10]

